
™ moselTüren



Catalog 2023



Your door leaf and frame options at a glance







Our Frame profiles



Designkante Round edge
Edge rounding
ss than two millimeters



Rebated or blunt impact

Rebated doors offer better sound insulation, greater assembly tolerances and reduce the light that can shine through between the frame and the door leaf. With butt-hinged doors, the door leaf and frame form one level. This option is available for selected models.



Features and extensions

104 functions

Sound insulation, heat protection, burglary protection, fire and smoke protection

110 extensions

Vestibules, double-leaf doors, sliding doors, glazing

Service

120 product range overview

124 Five steps to the new door

Door selection and installation

580 employees.

60 years of experience. A family.



Made in Germany

Over 60 years of experience


We have been manufacturing doors in Trierweiler near the Moselle for over 60 years. As the newly qualified master carpenters Klaus Borne founded the company in 1956 founded, he quickly concentrated on one product: good doors.

Our now grown family business maintains this crystal-clear focus to this day: We value

Simply convincing solutions, clear statements and short routes.



now run the family business in the second generation.




Design. Quality. Both timeless.




For us, "good doors" means that design and quality last for many years: the hinges on our doors alone have to pass the endurance test for 100,000 closing cycles.

Our designs continue to set standards: We were the first to develop one of the lightest white tones for doors, which is perfectly coordinated with the best-selling wall colors: Our polar white - much loved by customers and often copied. Both alone are a small award.



Highest quality. Minimal resource consumption. No compromise.



As a family business, we think in terms of generations. That is why climate protection and the responsible use of resources are particularly important to us. As one of the first door manufacturers, we have been certified as a climate-neutral company since 2021.

We were able to offset 55 percent of our emissions through, among other things, our own photovoltaic system and CO2-neutral self-supply with green electricity and heat. We fully offset unavoidable emissions: We support several VCS or WWF-certified climate protection projects in South America and Southeast Asia.

We do more

What has been achieved is good - but not good enough. We want to become even more sustainable. Therefore minifrom Germany - many of them even from the region.

We are gradually converting our car fleet to electric cars with our own charging stations. The wood in our doors comes from sustainably managed forests. We only use water-based paints, free of solvents, whose emission levels are well below the strict limits. We avoid plastic as much as possible and deliver our doors in sturdy cardboard packaging made from recycled materials.

Further information can be found at www.klimaschutzholzindustrie.de











your specialist advisor.

Short routes. Clear contact persons. No shrugging of the shoulders.



Only in specialist shops

Be sure to get advice and order

We want to make your door purchase as comfortable and safe as possible: Choose the door you want from the comfort of your own home. You can then send your selection directly to the nearest specialist retailer via our website - we know the experts at your location. Mosel doors are only available from qualified specialist retailers. The on-site professional guarantees competent advice right up to the end.







Choose doors online at www.mosel-tueren.de - get reliable advice and order from specialist retailers











Natural white with lacquer or CPL surface, similar to RAL 9010

Smooth doors offer a simple, timeless look and therefore suit any living style.



Collection Alba from page 10



Alba natural white

with lacquer or CPL surface, similar to RAL 9010

CPL – robust and easy to care for

The specially hardened laminate coating makes the door robust against scratches, impacts, moisture and dirt.

Paint – healthy living and environmentally friendly


We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

Six light cutouts and 13 glass variants

Also available as a functional door

All doors in this collection are also available with sound, heat, burglary, fire and smoke protection.

Alba - forged



Door leaf options

CPL round edge
Lacquer smooth edge
Lack Rundkante

Frame options

CPL profiled
CPL round edge
Lackfolie Designkante

Six light cutouts for all Alba doors






LA HK

13 available glass variants – more from page 116










Designer doors

Natural white with painted surface, similar to RAL 9010

Designer doors are designed with geometric lines. The door leaf is embossed or milled. Many of the doors are also available as glass doors with identical table design - so you can easily combine them in style.



Collection Mala from page 14

Mala natural white

with painted surface, similar to RAL 9010

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Six light cutouts with 12 glass variants or as a glass door in a style combination

Many of the designs are also available as designer glass doors.

Also available as a functional door

Door leaf options Lacquer smooth edge Frame options

CPL round edge

Lackfolie Designkante



Mala 05, 06 and 09 in

She was 05



She was 06



Five light cutouts for all Mala doors - except Mala 14














IΔHK



Matching glass doors in a style combination

Many of our designer doors are also available as glass doors. Combine from page 96.


12 available glass variants – more from page 116




Mala natural white

with painted surface, similar to RAL 9010


She was 09














Natural white with painted surface, similar to RAL 9010

Style doors cite classic designs of paneled or paneled doors in the country house style.



Elegance collection from page 20



Collection Cala
from page 24



Elegance natural white

with painted surface, similar to RAL 9010

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure. Available for all door leaves with round edges.

Individual light cutouts and 12 glass variants

Also available as a functional door

All doors in this collection are also equipped with sound and burglary protection. protection available.

Door leaf options

Lack Rundkante

Frame options

CPL profiled CPL round edge

Lackfolie Designkante



Embossing for elegance in millimeters

With profiled glazing beads and lattice frames

Bar frames divide the light cutout into smaller areas. The frame and strip are finely stepped to match the design of this collection.



Elegance 02





Elegance 04





Elegance natural white

with painted surface, similar to RAL 9010

Elegance 02-B










Elegance 04-Q





Cala natural white

with painted surface, similar to RAL 9010

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Individual light cutouts and 12 glass variants

Also available as a functional door

All doors in this collection are also available with sound, burglary, fire and smoke protection.

Door leaf options

Frame options

CPL profiled CPL round edge

Lackfolie Designkante



Cala 01







Cala 03



Cala 03-Q



















Configure your door online



Polar white with lacquer or CPL surface, coordinated with RAL 9003 and 9016

Simple and timeless - smooth doors suit every living style and are as white as the bright white polar white
Wall. The exclusive color was on the best-selling wall colors
as well as sockets and radiators, making it one of the lightest white tones for doors.



Collection Alba from page 30



Alba polar white

with lacquer or CPL surface, coordinated with RAL 9003 and 9016

CPL - robust and easy to clean The

specially hardened laminate coating makes the door robust against scratches, impacts, moisture and dirt.

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive

Six light cutouts and 13 glass variants

Also available as a functional door


All doors in this collection are also available with sound, heat, burglary, fire and smoke protection.

Also available with blunt impact

Alba - forged



Alba – blunt impact



For butt-hinged doors, we hide the hinges in the frame and in the door leaf. With an optional magnetic lock, even the striking plate visible from the front disappears and the door closes even more quietly.

Door leaf options

Fold design "blunt-folding" optionally available:
Painted door leaf with designer edge



Six light cutouts for all Alba doors



NEU













Light cutout HK











Add one of three attractive rung frame variants in polar white or black to the HK light cutout.

13 available glass variants – more from page 116





Configure your door online

Designer doors

Polar white with painted surface, coordinated with RAL 9003 and 9016

Geometric lines accentuate the designer doors. Each door is carefully embossed or milled. Designer doors in exclusive polar white match the best-selling bright white wall colors as well as sockets and heating systems.

bodies. Many of the doors are also available as glass doors with an identical design - so you can easily combine them in a style.



Collection Mala from page 34

Polar white —— designer doors

Mala polar white

with painted surface, coordinated with RAL 9003 and 9016

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Six light cutouts with 12 glass variants or as a glass door in a style combination


Many of the designs are also available as designer glass doors.

Also available as a functional door

All doors in this collection are also available with sound, burglary, fire and smoke protection.

Also available with blunt impact

She was 10



Door leaf options

Frame options

optionally available: Painted door leaf with designer edge



Six light cutouts for all Mala doors











THE GA-M

THE GA-S

GA-B DAY









Light cutout HK for Mala 10 and 11

The glazing beads are available in polar



Matching glass doors in a style combination

Many of our designer doors are also available as glass doors. Combine from page 96.


12 available glass variants – more from page 116



Mala polar white

with painted surface, coordinated with RAL 9003 and 9016

She was 11







Mosel doors – design

Our designs set standards: We were the first to develop one of the lightest shades of white for Doors that are perfectly coordinated with the best-selling wall colors, sockets and radiators: our polar white. When we design new products, the following applies: less is more. For sales manager Jörg Follmann, this means: Instead of focusing on a thousand variants, we only focus on the real ones convincing design.

She was 15



She was 16



rs





Configure your door online



Polar white with painted surface, coordinated with RAL 9003 and 9016

Polar white style doors cite classic ones

Cassette and panel doors in country house style. With the exclusive color, these classics fit perfectly with the best-selling bright white wall colors as well

Sockets and radiators.







Collection Cala from page 44



Collection **Tava** from page 46



with painted surface, coordinated with RAL 9003 and 9016

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Individual light cutouts and 12 glass variants

Also available as a functional door


All doors in this collection are also equipped with sound and burglary protection. protection available.

Door leaf options

Frame options

CPL Designkante





With profiled glazing beads and lattice frames

Rung frames structure the Light cutout into smaller ones areas. Frames match the design of this collection

and strip finely stepped.





Elegance polar white


with painted surface, coordinated with RAL 9003 and 9016

Elegance 04





Elegance 04-Q





Cala Polar White

with painted surface, coordinated with RAL 9003 and 9016

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Individual light cutouts and 12 glass variants

Also available as a functional door

All doors in this collection are also available with sound, fire and smoke protection.

Cala 01



Door leaf options Lack Designkante Frame options

CPL Designkante







Cala 03



Cala 03-Q









Tava polar white

with painted surface, coordinated with RAL 9003 and 9016

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive

Individual light cutouts and 2 glass versions

Also available as a functional door

All doors in this collection are also available with sound insulation.

Your 03





Door leaf options

Frame options

CPL Designkante

opening angle of approx. 120 degrees.
We recommend the door without
a keyhole hole. When used with
a beard key, it must be extended
due to the thickness of the

Your 05









Smooth doors

Lava gray with painted surface, similar to RAL 7037

Reduced and no-frills: smooth Doors in lava gray add subtle color accents.



Collection Alba from page 52

Alba Lavagrau

with painted surface, similar to RAL 7037

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Six light cutouts and 13 glass variants

Also available as a functional door

All doors in this collection are also available with sound, heat. burglary, fire and smoke protection.

Alba - forged



Door leaf options

Frame options

Lackfolie Designkante



Six light cutouts for all Alba doors



(NEU



LA HK mit Glasleisten in

LA HK with glazing beads



Light cutout HK

The glazing beads are available in lava gray and black.












Add one of three attractive rung frame variants in black to the HK light cutout.

13 available glass variants – more from page 116





Lava gray with painted surface, similar to RAL 7037

We design design doors in lava gray with geometric lines and surfaces. We emboss or mill the designs using exclusive technologies. Many of the doors are also available as glass doors with an identical design - so you can easily combine them in a style.



Collection Mala from page 56



Lavagrau — Designtüren

Mala Lavagrau

with painted surface, similar to RAL 7037

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Six light cutouts with 12 glass variants or as a glass door in a style combination


Many of the designs are also available as designer glass doors.

Also available as a functional door

All doors in this collection are also available with sound, burglary, fire and smoke protection.

mala in lava gray in

She was 10



Door leaf options

Frame options

Lackfolie Designkante



Six light cutouts for all Mala doors











THE GA-M

THE GA-S

GA-B DAY







LA HK with glazing beads



Light cutout HK

for Mala 10 and 11

The glazing beads are available in lava gray and black.



Matching glass doors in a style combination

Many of our designer doors are also available as glass doors. Combine from page 96.

Mala 10 satin – clear stripes

12 available glass variants – more from page 116



Mala Lavagrau


with painted surface, similar to RAL 7037

She was 11









Simply good doors require the latest technology. To do this, we continually invest in our production, increase quality and reduce our ecological footprint.

With our exclusive embossing technology and our spraying system, we can, for example, produce our lava gray designer doors in high-quality spray paint quality. The paint structure is therefore particularly homogeneous and noticeably smoother.


She was 15



She was 16










Lava gray with painted surface, similar to RAL 7037

With style doors in lava gray, we are interpreting the country house style in a completely new way: classic panel or panel doors in a contemporary color.







Collection Cala from page 66



Machine Translated by Google

Elegance Lavagrau

with painted surface, similar to RAL 7037

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Individual light cutouts and 12 glass variants

Also available as a functional door

All doors in this collection are also equipped with sound and burglary protection. protection available.

Door leaf options

Lack Designkante

Frame options

Lackfolie Designkante



Embossing for elegand in millimeters


Elegance 02



With profiled glazing beads and lattice frames

Rung frames structure the Light cutout into smaller ones areas. Frames match the design of

and strip finely stepped.





Elegance Lavagrau with painted surface, similar to RAL 7037

Elegance 04





Elegance 04-Q





Cala Lavagrau

with painted surface, similar to RAL 7037

Paint – healthy living and environmentally friendly

We only use water-based paints. They are UV-cured, solvent-free and certified low-emission.

High quality spray painting

Our spray painting process ensures a particularly robust, homogeneous and therefore noticeably smooth paint structure.

Shockproof thanks to design edge

Fine curves on the upright door edges make the door less sensitive to impacts.

Individual light cutouts and 12 glass variants

Also available as a functional door

All doors in this collection are also available with sound, burglary, fire and smoke protection.

Cala 01



Door leaf options

Lack Designkante

Frame options

Lackfolie Designkante



Embossing/milling fo



Cala 03

Cala 03-Q


















Configure your door online!



with CPL surface

Machine Translated by Google

Our cross-grain doors are available with a robust CPL surface, which we also refine with a noticeable wood grain.





Verso Structura anthracite. CPL door leaf





Towards

with CPL surface

CPL - robust and easy to clean The

specially hardened laminate coating makes the door robust against scratches, impacts, moisture and dirt.

CPL - naturally structured

Our robust CPL wood designs are additionally refined with a noticeable wood grain.

Six light cutouts and 13 glass variants

Also available as a functional door

All doors in this collection are also available with sound, heat, burglary, fire and smoke protection.

Door leaf options

for natural oak, larch Crema, larch tobacco and Pine: CPL round edge

für Asteiche, Structure anthracite, Structure gray und Structure weiß:

CPL Designkante

Frame options

for natural oak, larch Crema, larch tobacco and Pine: CPL round edge

für Asteiche, Structure anthracite, Structure gray und Structure weiß: CPL Designkante

Verso larch crema



Six light cutouts for all Verso doors









Light cutout HK

(NEU

The glazing beads are available in the wooden design of the door and in black.



LA HK SPR Loft 1 LA HK SPR Loft 2





Add one of three attractive rung frame variants in black to the HK light cutout.

13 available glass variants – more from page 116

Towards

with CPL surface

Verso natural oak



Towards Asteiche





Verso pine



Verso larch tobacco







The wood in our doors comes from sustainably managed forests. Almost all raw materials and We source individual parts from Germany – lots of them some of them even from our region. We only use water-based paints that are solventfree. With our photovoltaic system and our wood-fired power plant, we achieve a completely CO2-neutral self-supply of green electricity and heat. We even feed the surplus into the surrounding network.

Towards

with CPL surface





Verso Structure weiß




Verso Wheat structure



Verso Anthracite structure





Upright grained doors

with CPL surface

Machine Translated by Google

Our upright grained doors are available with a robust CPL surface, which we also refine with a noticeable wood grain.



Mero knotty oaks. CPL door leaf







Mere

with CPL surface

CPL - robust and easy to clean The

specially hardened laminate coating makes the door robust against scratches, impacts, moisture and dirt.

CPL - naturally structured Our robust

CPL wood designs are additionally refined with a noticeable wood grain.

Six light cutouts and 13 glass variants

Also available as a functional door

All doors in this collection are also available with sound, heat, burglary, fire and smoke protection.

Door leaf options

for natural oak, gray limed oak, larch crema, Larch tobacco and pine: CPL round edge

für Asteiche, Structure anthracite, Structure gray und Structure weiß:

CPL Designkante

Frame options

for natural oak, larch Crema, larch tobacco and Pine: CPL round edge

für Asteiche, Structure anthracite, Structure gray und Structure weiß:

CPL Designkante

Mero pine



Six light cutouts for all Mero doors



(NEU





LA HK mit Glasleisten im LA HK with glazing beads Holdesign der Tür in black



Light cutout HK

The glazing beads are available in the wooden design of the door and in black.



LA HK SPR Loft 1



LA HK SPR Loft 2





Add one of three attractive rung frame variants in black to the HK light cutout.

13 available glass variants – more from page 116

Mere

with CPL surface

Mero Larch Crema



Mero larch tobacco



Mero oak gray limed Mero oak natural



Asteiche gro







Mosel doors – quality

For us, "good doors" means that design and quality last for many years: the hinges on our doors alone have to pass the endurance test for 100,000 closing cycles. Before a door our When it leaves the factory, it goes through several checks and digital testing stations under the critical eye of our door experts.



with CPL surface









Mero Anthracite structure



Mero Structure weiß









Configure your door online!

Patterns and structures

Our glass doors show fine patterns or organic structures. The designs are noticeably incorporated on one side - the other side retains a smooth surface.



Collection of patterns and structures from page 90

Patterns and structures

Robust and safe All

glass doors are made from eight millimeter thick safety glass.

This type of glass is more shock and impact resistant than normal flat glass.

Can be combined with all frames

Round or square door handles and hinges available

Also available as a two-leaf or sliding door

Frame options

All glass doors can be combined with

Clear glass

Satin finish



Three door leaf options for all glass doors

Single and double leaf doors



Further information can be found from page 112.

Sliding doors running in front of the wall



Door handles and hinges

For one and two-leaf

Available with or without keyhole







For sliding doors running in front of the wall

recessed handle or push handle









92 Glass — patterns and structures

Patterns and structures





Stream wants



Strip upright



Strip wants





Mosel doors – advice

We want you to be completely satisfied for a long time. Mosel doors are therefore only available from qualified specialist retailers. Only a professional on site guarantees competent advice. Our service team is available to your specialist dealer at any time. We ensure a smooth process from ordering to delivery.

Mastercarré



Chinchilla







Configure your door online!



We design our designer glass doors with geometric lines and surfaces. One side is noticeably satinized - the other side remains smooth and flawless. Many of the doors are also available as painted doors in natural white, polar white or lava gray with an identical design - so you can easily combine them in a style.



Collection Loft from page 96

Collection Mala from page 98



Mala and Loft

Robust and safe All

glass doors are made from eight millimeter thick safety glass. This type of glass is more shock and impact resistant than normal flat glass.

Easy-care satin finish

We refine the satin surfaces with nano protection.

This makes it easier to remove grip marks.

Can be combined with all frames

Door handles and hinges available round or square

Also available as a two-leaf or sliding door

Frame options

all Mosel standard frames.

Loft 01 clear - black stripes



Loft 01 satin finish – black stripes



Three door leaf options for all glass doors

Single and double leaf doors



Sliding doors running in front of the wall



Further information can be found from page 112.

Door handles and hinges

For one and two-leaf

Available with or without keyhole









For sliding doors running in front of the wall

Optionally with recessed handle or push handle











She had

Mala 05, Mala 10 klar – Satin stripes




Mala 05, Mala 10 satin – Stripes clear



Mala 09, Mala 11 klar – Satin stripes



Mala 09, Mala 11 satin – Stripes clear



Mala 06 klar – Satin stripes



Mala 06 satin -Stripes clear



Mala 14 klar – Satin stripes



Mala 14 satin -Stripes clear



Glass —— designer glass doors 99

She had





Mosel doors – logistics

Because we value short distances, we work with our own shipping company and are exclusively connected to a consistently accessible service network. Our logistics team ensures every day that your door arrives quickly at your specialist retailer.





Mala 16 klar – Satin stripes






Soundproofing

Soundproof doors reduce sound by 32, 37 or 42 decibels. We reinforce the door leaf and integrate a lowerable floor seal. The seal lowers automatically as soon as the door is closed, further reducing noise.

Choose from three packages according to sound insulation classes 1 to 3.



Soundproofing

Start

Sound insulation 32 dB Rw,P

For: apartment entrance, Stairwell, hallway, corridor

Sound insulation class 1, Climate class III, Stress group S

Available with light cutout and soundproof glazing

Soundproofing

Plus

Sound insulation 37 dB Rw,P

For: classrooms, Hotel room

Sound insulation class 2, Climate class III, Stress group S

Available with light cutout and soundproof glazing



Available for:

Natural white doors

Wooden design doors

Polar white doors Lava gray doors

Soundproofing

Premium

Sound insulation 42 dB Rw,P

For: consultation room

Sound insulation class 3, Climate class III, Stress group S



heat protection

Isolation of temperature differences from 3 to 23 °C

heat protection

Doors with thermal insulation insulate areas with high temperature differences.

The door leaf is so stable that it hardly bends according to the strict RAL quality

For: Attic or basement entrance

protection: only door leaf UP 0.82 W/m2 K, Türelement UD 1.1 W/m2 K

Stress group S



Available for:

Smooth natural white doors Smooth lava gray doors Wooden design doors





Burglary protection

Doors with burglary protection make it more difficult for opportunists to break open the door using simple tools. We reinforce the door leaf and the anchoring of the frame and wall. You can also use the door as an apartment entrance door. Choose from two packages with a single or triple lock.



Available for:

Natural white doors
Polar white doors
Lava gray doors
Wooden design doors



Burglary protection

Start

Resistance class RC2 with single locking and Sound insulation with 32 dB Rw,P

For: Closing the apartment

Climate class III, stress group E, Sound insulation class 1



Burglary protection

Plus

Resistance class RC2 with triple locking and Sound insulation with 32 dB Rw,P

For: Closing the apartment

Climate class III, stress group E, Sound insulation class 1





Fire protection

Fire protection

For: Areas where fire retardant

Fire protection is required

stress group E, Sound insulation class 1

Available with light cutout

T30-1-RS-FSA Mosel Type 1, Climate class III.

Fire rated doors keep areas free of smoke and fire for at least 30 minutes. All doors are equipped with a scissor arm closer as standard - this automatically closes the door. Alternatively, we also offer other closer variants.



Lava gray doors Wooden design doors



Available for:

Natural white doors

Smoke protection



Doors with smoke protection prevent the spread of smoke gases. Even after 200,000 closing cycles, the so-called leak rate of 20 cubic meters per hour must not be exceeded according to strict testing standards.

Smoke protection doors are equipped with a scissor arm closer as standard. Alternatively, we also offer other closer variants.



Available for:

Natural white doors Lava gray doors Wooden design doors



Smoke protection

Start

Smoke protection with Sound insulation 32 dB Rw,P

is required

Mosel Type1 DIN 18095 RS-1, stress group E, Sound insulation class 1

Not available with light cutout



Smoke protection

Plus

Smoke protection with Sound insulation 37 dB Rw,P

For: Areas where smoke protection is required

Mosel Type1 DIN 18095 RS-1,

stress group E, Sound insulation class 2

Not available with light cutout



Smoke protection

Premium

Smoke protection with Sound insulation 42 dB Rw,P

For: Areas where smoke protection is required

Mosel Type1 DIN 18095 RS-1,

stress group E, Sound insulation class 3

Not available with light cutout











Slide rail closer

110 functions and extensions

Wind catchers



Vestibules between living areas minimize heat loss, drafts and noise levels. Our vestibules can be flexibly adapted to your room with a skylight and side panels.

You can get these either with a standard frame for a wall opening or as a block frame for a wall reveal. We deliver the skylights and side panels without glazing.

Each available without Function for:

Natural white doors

Polar white doors Lava gray doors

Wooden design doors

Windbreak element with skylight and side panels



Available windscreen elements



With skylight



With side part



With skylight and side panel

112 functions and extensions

Double-leaf doors



Double-leaf doors create spacious passageways. You can get your double door in flexible combinations: different door designs, light cutouts, lattice frames and glazing asymmetrical divisions are also possible.

Each available without Function for:

Natural white doors Polar white doors

Lava gray doors Wooden design doors

Alba two-winged with light cutout LA HK and

Rung frame SPR Loft 1



Edge row

The inactive leaf (also called demand leaf) is locked at the top and bottom with a sturdy edge latch so that you can open it if necessary.







Combination examples





Glass door Mala 05

Ask your specialist dealer about other possible combinations.

114 functions and extensions

Sliding doors

When open, sliding doors do not protrude into the room and thus save valuable space. Our sliding doors running in front of the wall are available either with or without side stop posts and as a variant with a running rail in aluminum or stainless steel look. Sliding doors running in the wall have a surrounding frame.



Running in front of the wall

All wooden design doors
All wooden design doors
All polar white doors
All lava gray doors

Running in the wall

Lots of natural white doors Lots of polar white doors Lots of lava gray doors All wooden design doors All glass doors

Running in front of the wall

Lots of natural white doors Lots of polar white doors Lots of lava gray doors All wooden design doors All glass doors

Sliding door running in front of the wall

Without surrounding frame: only available with top panel With surrounding frame: optionally with or without side Stop posts available



Sliding door running in the wall

with surrounding frame





Running in front of the vall without a side stop post



Running in front of the wall with a stop post on the side Only in combination with Enclosure frame possible

Handle options

for sliding doors in

Natural white, polar

white and lava gray as well as with

Wooden design

Choose from eight different different handle designs. All of our doors will

default with one Aluminium-Griffmuschel delivered. We also offer you more Designs.



Square stainless steel

, A



Around Black



Oval



Bl



Toilet circle be Nickel matt

Optionally with lock and spring handle or a recessed handle on the front.



ringgriff



Forehand grip shell

Sliding door running in front of the wall

with Volar running rail in aluminum or stainless steel look or in black





For many natural white, polar white, lava gray and wooden design doors




For glass doors

glazing





glazing for all doors except Tava




glazing for all doors except Tava

Chinchilla





Gothic



Mastercarré



glazing for light cutout G3

Flair 04


for Alba, Mero and Verso




Service —— Range overview 121

Range overview

Natural white



Polar white



122 Service —— Range overview


Service —— Range overview 123

SPR Loft 1


SPR Loft 2 SPR Loft 3

Range overview

Lavagrau



Wooden design



DAY GA-M DAY GA-S DAY GA-B DAY G3

Vote



124 Service — Five steps to the new door

Service — Five steps to the new door 125


Five steps to the new door



Determine door dimensions and hinge direction

Option one – new building: Measure height, width and wall thickness


The wall opening determines the size of the door leaf and frame. Please measure the height, width and wall thickness of the wall opening. So that you can detect unevenness directly, please always measure in at least three places. The largest measured value of the wall thickness defines the dimension; for the wall opening it is the smallest value. Attention: A construction drawing does not yet show the final wall thickness. Therefore, always measure the finished wall including plaster or tiles and floor coverings.



Option two – renovation: Measure your old door


If you don't want to change anything on the floor or wall, simply measure the width and height of the old door leaf. Then measure the complete depth of the frame. Then subtract the thickness of the frame cladding on the front and back - this means you have defined the wall thickness. Doors can often be replaced without renovation work such as wallpapering or painting. Look at the table on the next page: If that

If the external frame dimensions of your new door are at least two centimeters wider than the current frame, you generally do not need to re-paper.



Determine the direction of attack

Which side should your door open to? The Hinge direction defines on which side the door is connected to the frame.



Dimensions for natural white doors, polar white doors, lava gray doors and wooden design doors

(all dimensions in millimeters)

		Wall opening (min max.)	Door leaf external dimensions		Frame Lii rebate dimension	ning plate external dimension	External frame dimensions S At 60/70mm Clothing width
Dimensions	Width	625-665	610		591	613	711/731
for single leaf		750–790	735		716	738	836/856
Doors		875–915	860		841	863	961/981
		1000–1040	985		966	988	1086/1106
	Height	2000–2025	1985		1983	1994	2043/2053
		2125–2150	2110		2108	2119	2168/2178
				Total door width			
Dimensions	Width	1225–1260	2×610	1210	1191	1213	1311/1331
for double-leaf		1475–1510	2×735	1460	1441	1463	1561/1581
Doors		1725–1760	2×860	1710	1691	1713	1811/1831
		1975–2010	2×985	1960	1941	1963	2061/2081
	Height	2000–2025	1985		1983	1994	2043/2053
		2125–2150	2110		2108	2119	2168/2178

For some functional doors such as sliding or security doors or glass doors, there are special aspects to consider during installation. Your specialist dealer can give you special information on this.

Dimensions for glass doors and sliding glass doors

(all dimensions in millimeters)

		Wall opening (min.– max.)	Door leaf external dimensions		Frame Li rebate dimension	ining plate external dimensions	External frame dimensions At 60/70mm Clothing width
Dimensions for	Width	750–790	709		716	738	836/856
single-winged		875–915	834		841	863	961/981
Glass doors		1000–1040	959		966	988	1086/1106
	Height	2000–2025	1972		1983	1994	2043/2053
		2125–2150	2097		2108	2119	2168/2178
Dimensions	Width	1475–1510	2×709		1429	1451	1571/1591
for double-leaf		1725–1760	2×834		1679	1701	1799/1819
Glass doors		1975–2010	2×959		1929	1951	2049/2069
	Height	2000–2025	1972		1983	1994	2043/2053
		2125–2150	2097		2108	2119	2168/2178
				Rail length			
Dimensions for	Width	715–810	850	2000			
infl. Sliding		815–910	950	2000			
glass door		915–1010	1050	2200			
Running in front of the wall	Height	1970–2010	2030				
		2090–2130	2155				

All dimensions here are for a shell wall opening. The wall only needs to be caulked slightly at the height of the hinge pockets if the wall opening has the minimum dimension.

126 Service — Five steps to the new door

Service — Five steps to the new door 127

Adjustment range of the frames

According to wall thickness

Mosel standard frame for the following wall thicknesses in mm												
80	100	120	140	160	180	200	220	240	265	280	300	330

80-97 100-117 120-137 140-157 160-177 180-197 200-217 220-237 240-257 265-282 280-297 300-317 330-347

Without gluing: adjustment range +17 millimeters (from-to).

Frame for the following wall thicknesses in mm									
350	370	390	430	450					
350–367 370–387 390–407 410–427 430–447 450–467									

Without gluing: adjustment range +17 millimeters (from-to).

Dimensions for double-shell frames

According to wall thickness

Wall thickness in mm	470	490	510	530	550	570	590	610	630	650
feed	220	240	260	280	300	280	300	265	290	310
flees	10	10	10	10	10	10	10	15	10	10
Passage lining (Dufu)	240	240	240	240	240	280	280	330	330	330
Adjustment range	465-485 485-505 505-525 525-545 545-565 565-585 585-605 605-625 625-645 645-665									

The adjustment range can be extended by an additional +10 mm via a larger visible gap by not completely pushing in the connecting springs.





Choose door design

Choose design and surface

So that you can quickly find your desired design, we sort our collections according to designs such as smooth doors, style doors or upright grained wooden design doors. Each door collection is manufactured with a specific surface: either elegant lacquer, a robust CPL coating or made entirely of glass. The properties and differences can be found here.



Natural white, polar white and lava gray doors

Paint – natural white, polar white, lava gray
All painted doors receive a more

layered paint application. We only use waterbased paints. They are

UV-cured, solvent-free and certified low-emission.

Natural white doors go well with tinted, warm

We have our exclusive polar white on the best-selling, bright white wall colors.

CPL - natural or polar white

Doors with a CPL surface are special robust and easy to care for. The specially hardened laminate coating makes the door insensitive to scratches, impacts, moisture and dirt. Natural white doors go well with tinted, warm interiors. Our exclusive polar

We have white on the best-selling ones bright white wall colors and plug-in cans and radiators coordinated.



Wooden design doors

CPL

Doors with a CPL surface are particularly robust and easy to clean. The specially hardened laminate coating makes the door robust against scratches, impacts, moisture and dirt. Our CPL wood designs are additionally refined with a noticeable wood grain.

Glass doors

Patterns and structures

The glass doors are designed with geometric patterns or organic structures. The designs are noticeably incorporated on one side. We manufacture all glass doors from eight millimeter thick safety glass. This is more shock and impact resistant than normal flat glass.

Satin designer glass doors

The glass doors are finished on one side with satin-finished, geometric designs.

We seal the designs with a nano grip protector. This makes it easier to remove grip marks. We manufacture all glass doors from eight millimeter thick safety glass. This is more shock and impact resistant than normal flat glass.

Extra: Select light cutouts

All natural white, polar white, lava gray and wooden design doors are also available with a variety of light cutouts and glass types. In each collection we show you the available light cutouts.









Plan functions and extensions

Select functions

Kitchen, children's room, apartment entrance, study... certain room situations require special functions. These make the door leaf safer against break-in attempts or more resistant to fire and smoke. Choose from perfectly preconfigured packages with: sound, smoke, fire, burglary or thermal protection. This catalog offers simple decision-making aids when choosing the right package. Your specialist dealer will also be happy to advise you.

Choose extensions

With an extension you can turn your door into a vestibule, a sliding door or a double-leaf door. Vestibules minimize heat loss, drafts and noise levels between living areas.

Sliding doors disappear into or in front of the wall to save space and do not protrude into the room. We recommend consulting with your specialist dealer to ensure that measurements and installation are carried out safely.





Get advice and order

Our doors are only available from qualified specialist retailers. Only the on-site professional guarantees competent advice, arranges an optional installation service and remains your permanent contact throughout the entire purchasing process. Have you followed steps one to three? Great, then all your specialist dealer needs is this information:

Step 1: Dimensions of the wall opening, wall thickness and direction of attack

Step 2: Your desired door design and any Light cutouts

Step 3: Optional features such as soundproofing or extensions such as sliding doors






Deliver and optionally have it assembled

Have it delivered quickly

We deliver many doors quickly from stock to your specialist dealer. For doors with light cutouts we need a little more time. After placing your order, your specialist retailer will inform you about the planned delivery date.



Your specialist dealer will be happy to arrange an optional on-site assembly service for you. So you are on the safe side and enjoy the advantages of professional installation. The professionals also support renovations and remove old frames from the wall opening. In many cases, frames can be replaced without wallpapering or painting.



Please note: With painted elements, despite careful execution, minor differences in color, level of gloss and surface appearance between the door leaf and the frame coated with a film are possible. The miter may be visible as a hairline on all ready-toassemble frames. The name CPL in connection with a type of wood refers to photographic wood reproductions. When printing this catalogue, we carefully coordinated all colors and forms of representation with our products. However, it cannot be ruled out that colors may differ from the original product. The situation is similar with our glasses, which can look different depending on the background, structure, color, satin finish and transparency. For doors that are given a special factory size, we reserve the right to produce them with a high-quality spray paint finish. This also applies to the CPL natural white and CPL polar white surfaces.

Technical changes and errors reserved!

If you have any further questions, we recommend that you seek expert advice from your Mosel Doors specialist dealer. All information in this catalog has been carefully checked, but the entire content is not legally binding. We thank you for your trust and hope you enjoy your Mosel doors.

Stand 04/2023

editor Mosel Doors Vertriebsgesellschaft mbH On Wolfsgang, 54311 Trierweiler info@mosel-tueren de www.mosel-tueren.de

Conception and design Heithoff & Company GmbH Cornorate communications www.heithoff.com



Mosel Tür

Vertriebsgesellschaft mbH Auf Wolfsgang, 54311 Trierweiler Tel. +49 651 8106 - 01 info@mosel-tueren.de www.mosel-tueren.de

